USER'S MANUAL

YOSHIMASA SUSHI DISPLAY CASE

(INCLUDING REFRIGERATED/NON-REFRIGERATED UNITS)

YOSHIMASA USA, INC.

2730 Monterey St. #103, Torrance, CA 90503, USA

Tel. (310)533-1111/(800)789-9835 Fax. (310)533-1117/(800)789-9836

www.YOSHIMASAusa.com, info@YOSHIMASAusa.com

WARNING

DO NOT block the AIR WAY of the condensing unit or it generates heat and causes severe compressor damages.

- **DO NOT BLOCK AIR INLET/OUTLET AREA.**
  Let warm air come out freely from the condensing unit.

- **DO NOT PUT ANYTHING TO BLOCK THE LOUVER.**
  If you are to put anything right next to the louver or between sushi display units, please make enough room for the warm air to come out freely.

- **CHECK AND CLEAN THE LOUVER REGULARLY.**

- **DO NOT SHARE THE POWER OUTLET WITH ANY OTHER ELECTRIC APPLIANCES.**



For more information call 1(800)789-9835 or email techsupport@YOSHIMASAusa.com.

FAILURE TO COMPLY WITH ALL INSTRUCTIONS CAUSES SEVERE COMPRESSOR DAMAGES AND YOUR WARRANTY IS NO LONGER VALID.

⚠ WARNING

All users are highly recommended
read carefully the USER'S MANUAL before doing any jobs on the unit.

- Connect YOSHIMASA Sushi Display Case directly to a wall (socket) outlet. Do not use any extended power cables or multi-cables.
- Do not touch inside of condenser unit without having a certified engineer or expert of the refrigeration. (It may cause damages on the refrigeration pipe lines or on the power cable).
- Turn off YOSHIMASA Sushi Display Case before doing any maintenance jobs. Do not touch power cable with a wet hand.
- Do not use or connect the power cable if it has any damages.
- Excessive vibrations and droppings can cause damages on the condenser unit. Move or relocate the unit with extra care.
- Do not store any food inside the case overnight.

⚠ WARNING 警告

- **DO NOT BLOCK AIR INLET/OUTLET AREA** 絶対に空気口付近をふさがないで下さい。
  let warm air come out freely. 自由に温かい空気が出るようにして下さい。
- **DO NOT PUT ANYTHING TO BLOCK THE LOUVER** よろい板付近をふさぐようなものは絶対に置かないで下さい。
  make enough room for the warm air to come out freely. 温かい空気が自由に排気できるよう、十分なスペースをあけて下さい。
- **CHECK AND CLEAN THE LOUVER REGULARLY.** 定期的によろい板を清掃し、チェックして下さい。

For more informaiton call 1(800)789-9835 or email techsupport@YOSHIMASAusa.com.
商品についてのお問い合わせは 電話 1(800)789-9835, メール techsupport@YOSHIMASAusa.com。

FAILURE TO COMPLY WITH ALL SAFETY INSTRUCTIONS CAUSES SEVERE COMPRESSOR DAMAGES AND YOUR WARRANTY IS NO LONGER VALID. 商品をお取り扱いの際、取り扱い指示に従わずに生じた深刻なコンプレッサーの故障は、保証対象外となりますのでご注意下さい。



DESIGN OVERVIEW

FRONT VIEW



REAR VIEW











FEATURES

- **Designed and Featured for Professional Sushi Chefs**
  Professional Look, Ideal Display, More Compressor Power, Faster Temperature Drop, etc.
- **Patented ZIGZAG Curved Evaporating Cold Bars**
  A latest revolutionary invention of unique design generates attractive eye-catching ice-cells
- **Conform to ANSI/NSF 7 Sanitation & UL 471 Safety**
  304 Stainless Steel and Coated corrosion protected aluminum
- **Ideal Display and Keeping Fresh and Clean**
  Creative display combination with ZIGZAG curved evaporator
- **Removable Tempered Door Glass and Perfect Drainage**
  support easy cleaning and save time
- **Speed-up Temperature Drop and Stay Low Longer**
  with bigger Compressor and ZIGZAG Curved Evaporator and together quickly compensate losing Temperature
- **Built-in Fuse Protects Compressor Unit**
  from unexpected power loss and uneven electricity flow, Plus saves tremendous amount of repair cost
- **ABS Formed Base and Sides**
  help keeping the temperature from losing
- **Adopted round angled Semi-Safety Top Glass**

SPECIFICATIONS

Description	Refrigerated Unit				Non-Refrigerated Unit			
Model	YMSC-3L/R	-4L/R	-5L/R	-6L/R	YMSC-3M	-4M	-5M	-6M
Power Supply	115V, 60Hz, 1 Phase				N/A			
Power Supply Capacity	6 Ft., 3/18 AWG(3P Plug), 0.6kVA(6A)							
Glass Type (Door/Top)	Safety Top Glass / Tempered Door Glass							
Ambient/Saturation Temperature	50 ~ 80˚F / 25˚F							
Material (Inside/Outside)	Tempered Glass, Safety Glass, ABS Plastic, PVC Plastic, 304 Stainless, Aluminum							
Foaming	Polyurethane Foam / 2"							
Door Quantity	2 EA		4 EA		2 EA		4 EA	
Food Zone Load Capacity	1.0 CuFt.	1.6	2.2	2.8	1.6 CuFt.	2.2	2.8	3.4
Net/Gross Weight	62/76 LBS	75/90	87/102	99/116	42.5/48 LBS	54/60.5	66.5/73.5	78.5/86
Internal Dimension (W x D x H)	20 1/2" x10 5/8" x8 1/2"	32 1/4"W	44 1/8"W	55 3/4"W	32 1/4" x10 5/8" x8 1/2"	44 1/8"W	55 3/4"W	67 5/8"W
External Dimension (W x D x H)	35 3/8" x12 3/8" x10 3/4"	46 3/4"W	59 1/8"W	70 7/8"W	35 3/8" x12 3/8" x10 3/4"	46 3/4"W	59 1/8"W	70 7/8"W
Shipping Dimension (W x D x H)	38 3/8" x15 3/4" x14 3/4"	50 3/4"W	63 3/4"W	74 5/8"W	38 3/8" x15 3/4" x14 3/4"	50 3/4"W	63 3/4"W	74 5/8"W

** WARRANTY for Refrigerated Units: 2-year labor and parts, 5-year parts on compressor, for Non-Refrigerated Units: 1-year parts in USA and Canada only.*
** YOSHIMASA reserves the right to change the above specifications anytime without prior notice.*

INSTALLATION

1. For Refrigerated Units including YMSC-3L/R, YMSC-4L/R, YMSC-5L/R, and YMSC-6L/R,
   Please follow the simple four STEPS:
   - STEP 1. Read the USER'S MANUAL before doing any jobs on the unit.
   - STEP 2. Place the unit on the counter or on a flat surface.
   - STEP 3. Connect the water drain hose to the drain hole on the floor or if not used, keep the drain hole cover plugged.
   - STEP 4. Check the power supply. (Please make sure of enough amperage required by the units.)

   > DO NOT use any extension cord.
   > DO NOT plug in more than two units at the same circuit.
   > DO NOT install the unit next to any oven, range, or fryers.

   - STEP 5. Turn on the power switch.

2. For Non-Refrigerated (Remote) Units including YMSC-3M, YMSC-4M, YMSC-5M, and YMSC-6M

   > Please have an EPA certified Technician install the unit.

MAINTENANCE

1. To clean the unit cabinet
   - STEP 1. Turn off the unit and unplug the power cord before doing any jobs.
   - STEP 2. Empty the food zone
   - STEP 3. Dry off the floor mat and the floor of the unit. Make sure no water stay in the drain hose.
   - STEP 4. Clean the front safety glass inside and outside.

   > Not intended for use as a service cabinet, but for DISPLAY ONLY.
   > DO NOT store any food overnight.

2. To clean the Condensing unit (every 3 months):
   - STEP 1. Turn off and unplug the unit from the power supply before doing any jobs on the unit.
   - STEP 2. Unscrew 3 pieces of nut by using a cross screw driver from the compressor side
   - STEP 3. Remove the plastic panel and slowly slide out the front stainless steel condenser cover.
   - STEP 4. Brush the condenser with soft paint brush to remove or clean up any dust or particles stuck into the condenser or condenser fan.
   - STEP 5. DO NOT use any chemicals (if needed, please contact technicians or experts)

DIAGRAM (REFRIGERATED SUSHI DISPLAY CASE)



DIAGRAM (NON-REFRIGERATED SUSHI DISPLAY CASE)



WHAT'S INCLUDED IN A UNIT SET?

- A Sushi Display Case
- 2 or 4 Stainless Steel Floor Mats (depending on the WIDTH of the unit)
- A Water Drain Hose
- A Drain Hole Cover
- A User's Manual
- 2 or 4 Tempered Glass Sliding Doors (depending on the WIDTH of the unit)
- A Hose Clamp

DRAIN HOSE INSTALLATION





STEP 1:
Check the tube before install and have a Lighter and the Tube ready.

STEP 2:
Make soft the end of the Tube with the Lighter.
(CAUTION: Do NOT overheat)



STEP 3:
Put the Tube onto the Drain Hole.



STEP 4:
Check up if the Tube is completely set onto the Drain Hole.

ACCESSORIES

JOINER (JOINT)







This Joiner (Joint) is designed for being placed in the space between Sushi Display Cases and also perfect fit with gorgeous outlook for your Restaurant.

- A perfect fit to the Gaps(space) between the Sushi Display Case, and gives an attractive look
- Saving Enormous Money compared to a custom-design
- Creating Extra Storage space whit an elegance design
- 304 Stainless steel front round (cover)
- Material : Front Stainless steel cover, PVC Plastic, Aluminum
- Size (WxHxD) : $13_{5/8}$" x $10_{3/4}$"x $12_{3/8}$"
- Price : $395.00/EA

BAMBOO FLOOR MAT





- Giving a fresh and attractive look
- Looking like Real Bamboos in space and color
- Making the whole unit look elegance
- Easy to remove and easy to clean
- Material : Poly-Propylene
- Size (W x H) : 12" x $9_{1/2}$"
- Bamboo Diameter : ¾"
- Origin : Made In Japan
- Price : $37.00/EA

YOSHIMASA USA, INC.
2730 Monterey St. #103, Torrance, CA 90503, USA
Tel.(310)533-1111/(800)789-9835 Fax.(310)533-1117/(800)789-9836
www.YOSHIMASAusa.com, info@YOSHIMASAusa.com

Refrigerated Unit

TROUBLE SHOOTING

1. The unit is not cooling.


Is the Power switch on?*
Are the doors closed?
Did you clean the condenser unit?
Do you use an extension cord?
YES
YES
YES
YES
NO
NO
NO
NO
Never use any extension cord, it may cause damage to the compressor then your warranty will be voided.
Turn on the power switch
Close the doors
Clean the condenser unit
Unplug the unit and wait for about 1 hour and plug back

** with the power switch on and a good fuse the red switch lamp is lit.*

2. The unit is nor running.


Is the Power switch on?*
Is the fuse still good?
Do you use an extension cord?
YES
YES
YES
NO
NO
NO
Never use any extension cord, it may cause damage to the compressor then your warranty will be voided.
Turn on the power switch
Replace the fuse (115V/10A)
Call YOSHIMASA Tech. Service (1-800-789-9835)

** with the power switch on and a good fuse the red switch lamp is lit.*

3. The unit is generating moisture on the front glass.


Is the inside TEMP. of the restaurant over 80˚F?
Do you use any lights(heat or spot lamp) direct to the unit?
Do you use any heating equipment (oven, range, fryer) close to the unit?
NO
NO
NO
YES
YES
YES
Call YOSHIMASA Tech. Service (1-800-789-9835)
Please lower the TEMP. (You may need to run an AC)
Please relocate the lights at least 7 ft. away from the unit.
The unit should be operated at least 10 ft. away from any heating equipment

Please be cautious with Trouble Shooting:

① Before cleaning the condensing unit, please turn off the unit and unplug the power cord.
② Some of parts have very sharp edges.
③ If necessary to remove some screws out, please turn off the unit and unplug the power cord.

Please use the following contact information for further information:
Toll free: Tel. 1(800)789-9835, Fax. 1(800)789-9836, E-mail: techsupport@YOSHIMASAusa.com

YOSHIMASA USA, INC.
LIMITED PARTS AND LABOR WARRANTY
(REFRIGERATED AND NON-REFRIGERATED SUSHI DISPLAY CASES)

Refrigerated Units including models YMSC-3L/R, YMSC-4L/R, YMSC-5L/R, and YMSC-6L/R, come with 2 year parts & labor and 5 year part warranty on compressor. **This warranty is subject to all of the terms and conditions listed below. Warranty card furnished with this unit must be properly executed and returned to YOSHIMASA USA immediately within 12 days after installation. Failure to return warranty registration card will automatically void all warranties.**

YOSHIMASA USA warrants to the original purchaser

The YOSHIMASA USA unit sold and all parts thereof to be free from defects in material or workmanship, under normal use and service for a period of two (2) year from the date of sale or twenty seven (27) months from date of shipment by us, whichever occurs first. Our obligation under this warranty shall be limited to repairing or replacing F.O.B. factory any of such products that prove to be defective and which our examination shall disclose to our satisfaction to be defective.

A. Any part returned to the company under the terms of this warranty must be accompanied by the record of the cabinet model number, serial number, return authorization number and such return shall be on the basis of TRANSPORTATION CHARGES PREPAID.
B. Improper operation due to low voltage condition, inadequate wiring and accident damages are not manufacturing defects and are strictly the responsibility of the purchaser.
C. Condenser coils must be cleaned at regular intervals every 3 months. Failure to do so may cause compressor to malfunction and will void warranty. This contract does not apply outside the limits of the U.S.A. and CANADA nor does it to any part which has been subject of misuse, neglect, alteration, accident or to any damage caused by transportation, flood, fire, or the acts of God. This contract is not effective unless the YOSHIMASA USA Warranty Card, furnished with each unit, is properly filled out and mailed back to YOSHIMASA USA within twelve (12) days from the date of installation or twelve (12) days from the date of purchase whichever occurs first. The term "Original purchaser" as used herein shall be deemed to refer to that person, firm, association, or company for whom the refrigeration unit refers to herein is originally installed.

Warranty Claims

All labor claims or parts must include copy of original invoice submitted directly to YOSHIMASA USA. All claims must include: a copy of original invoice (Customer Name, Customer Address, Model Name, and Date of Sale), Customer Name, Address, Phone Number, Model and Serial Number of the unit, Date of Sale, Distributor Name, and a Brief Description of Complaint. On all compressor warranties the compressor model tag must be returned to YOSHIMASA USA along with the above listed information. All claims must be reported to YOSHIMASA USA within two (2) year of occurrence. All compressors have additional three (3) years warranty coverage. This warranty will not be effective unless the warranty card is returned or registered (www.YOSHIMASAusa.com) to YOSHIMASA USA within twelve (12) days of installation or twelve (12) days from the date of purchase whichever occurs first. Confirm receipt of warranty registration by contacting YOSHIMASA USA directly.

Non-Warranty Claims

YOSHIMASA USA is limited to either repair or replacement of parts, including labor only. This warranty does authorize any person(s) to assume any obligation or liability other than what the warranty permits. This warranty will be voided if such action does occur. Any attempt to repair YOSHIMASA USA products without an official job number issued by YOSHIMASA USA will void all of the warranty and the services will not be compensated. This warranty does not apply to any part, which has been subject to misuse, neglect, alteration, accident, or to any visible or concealed damage caused by transportation, flood, fire, etc. If the original SERIAL number tag is removed from the unit, the warranty will be voided.

Concealed Damage Example

Styrofoam may hide any hidden dents on the shipment that may not be completely visible. You must inspect all corners and grills thoroughly. If the carrier stacks any contents on the units this can cause glass on the glass door units to break from the inside.

Additional Three-Year Compressor Part Warranty

In addition to the warranty above, This warranty is limited to the compressor only. YOSHIMASA USA it is not liable for any remote unit.

What Is Not Covered By This Warranty

Spoilage of Product - No claims can be made against this warranty for any spoilage of products, such as food, loss of sales, or consequential damages. YOSHIMASA USA is not responsible for the repair or replacement of any parts that YOSHIMASA USA determines have been subjected after the date of manufacture to alteration, neglect, abuse, misuse, accidents, damage during transit or installation, fire, flood, or acts of God. Warranty Is Not Transferable - This warranty is not assignable and applies only to the original purchaser/user to whom delivered. Any such assignment or transfer will void this warranty and all other warranties implied. Improper Usage - YOSHIMASA USA is not liable in any way for parts or labor coverage for component failure or other damages resulting from improper usage or installation or failure to clean and/or maintain product as mentioned in the warranty packet provided with the unit. Outside U.S. and CANADA - This warranty does not apply to, and YOSHIMASA USA is not responsible for, any warranty claims made on products sold or used outside the United States and CANADA. Improper Electrical Connections - YOSHIMASA USA is not responsible for the repair or replacement of failed or damaged components resulting from electrical power failure, the use of extension cords, low voltage, or voltage interference to the unit. No Implied Warranty of Merchantability or Fitness for a Particular Purpose - There are no other warranties, expressed, implied or statutory, except the two (2) year parts and labor warranty and the additional three (3) year compressor warranty on refrigerated sushi display refrigerator only as described above. These warranties are exclusive and in lieu of all other warranties, including implied warranty and merchantability or fitness for a particular purpose. There are no warranties, which extend beyond this mentioned description. Remote Condensers - YOSHIMASA USA warrants the original purchaser of the remote cabinet one year parts coverage for all cabinet parts thereof to be free from defects in material or workmanship, under proper use and maintenance service, as specified by YOSHIMASA USA. This warranty is limited to the cabinet only. YOSHIMASA USA it is not liable for any remote condensing unit.

Non-Refrigerated(Remote) Units including models YMSC-3M, YMSC-4M, YMSC-5M, YMSC-6M, come with 1 year part ONLY. **Warranty card furnished with this unit must be properly executed and returned to YOSHIMASA USA immediately within 12 days after installation. Failure to return warranty registration card will automatically void all warranties.**

SERVICE REQUEST FORM

Please use the following contact information for a Warranty Service Inquiry:

• Visit www.YOSHIMASAusa.com and click REGISTRATION FORM under WARRANTY in the main menu
• E-mail us at register@YOSHIMASAusa.com • Use toll free number : Tel. 1-800-789-9835, Fax. 1-800-789-9836
• Mail to the address: YOSHIMASA USA, INC., 2730 Monterey St. #103, Torrance, CA 90503, USA

ALL WARRANTY SERVICE INQUIRY MUST BE ACCOMPANIED WITH ORIGINAL INVOICE.

Customer Information
NAME: _____ DATE: _____

Contact Information
COMPANY: _____

PHONE: _____ FAX: _____

ADDRESS: _____

Product Information
PRODUCT: _____

MODEL NAME: _____ SERIAL NUMBER: _____

DATE OF PURCHASE: _____ DEALER: _____

Preferred service Date & Time
PREFERRED DATE: _____ TIME: _____

Warranty Registration
HAVE YOU REGISTERED THE PRODUCT FOR THE WARRANTY? ☐ YES ☐ NO

Failure to WARRANTY REGISTRATION of the product within 12 days from the date of either purchase or installation shall automatically void the warranty. Please verify your warranty status before request any services.

Problem Description
PLEASE DESCRIBE THE PROBLEM OR WRITE COMMENTS

YOSHIMASA USA, INC.
2730 Monterey St. #103, Torrance, CA 90503, USA
Tel.(310)533-1111/(800)789-9835 Fax.(310)533-1117/(800)789
www.YOSHIMASAusa.com, info@YOSHIMASAusa.com

WARRANTY REGISTRATION FORM

YOSHIMASA USA always strives to ensure that each of our customers is given convenient on-time service. Please complete the following form and send back to us. Failure to register the product within 12 days from the date of either installation or purchase, whichever occurs first shall automatically void all warranties. Please use one of following easy methods to register:

• Visit www.YOSHIMASAusa.com and click REGISTRATION FORM under WARRANTY in the main menu
• E-mail us at register@YOSHIMASAusa.com • Use toll free number : Tel. 1-800-789-9835, Fax. 1-800-789-9836
• Mail to the address: YOSHIMASA USA, INC., 2730 Monterey St. #103, Torrance, CA 90503, USA

Name : _____ / _____ Company Name : _____
first name *last name*

Address : _____ / _____ / _____ / _____ / _____
street *city* *state* *zip* *country*

Contact: _____ / _____ / _____ / _____
tel. *fax.* *e-mail* *web site*

Product: _____ / _____ / _____ / _____
model name *serial number* *date of purchase* *date of installation*

Place of Installation: _____ / _____
same address above (yes/no) *if no, write the address where the product is installed*

1. How did you first become aware of YOSHIMASA products ?
☐ Sales Person ☐ Internet ☐ Magazine
☐ Mouth-to-Mouth ☐ Store Display
☐ Catalogue ☐ Others (please specify) : _____

2. When did you make your purchase decision ?
☐ At the Store ☐ Before visiting the store

3. What is your main source of information about Sushi Display Case ? (Choose up to 2)
☐ Sales Person ☐ Internet ☐ Magazine
☐ Mouth-to-Mouth ☐ Store Display
☐ Catalogue ☐ Others (please specify) : _____

4. Which were the most important factors in purchasing this products ? (Choose up to 2)
☐ Prior Experience ☐ Feature Quality ☐ Brand Reputation
☐ Design ☐ Price
☐ Others (Please Specify) : _____

5. Which one best describes the primary reason for purchasing this unit ? (Choose up to 2)
☐ Design ☐ Brand Reputation ☐ Price
☐ Easy of Use ☐ Good Feature
☐ Size ☐ Others (Please specify) : _____

6. How would you rate YOSHIMASA products overall ?
☐ Excellent ☐ Good ☐ Fair ☐ Poor

7. Would you consider purchasing another YOSHIMASA product in the near feature ?
☐ Yes, because : _____
☐ No, because : _____

8. If yes, do you plan to purchase any more YOSHIMASA products soon ?
Item you need : _____
How soon : _____

9 Comments on anything :